




## Oxford

Item number 26944, KMAT 61000082



### Product description

Wool is an extraordinary fiber from nature that produces extremely high-quality and sustainable fabrics thanks to its properties. Obtained from the fur of the sheep, wool is a renewable raw material. The positive properties of wool result from the complex structure of the fiber. Wool fabrics are equally suitable as upholstery fabrics and curtain fabrics. They radiate warmth and homeliness and can have both a cozy and puristic appearance. The classic Oxford herringbone design is available in an extensive range of colours and can also be used in a variety of ways thanks to its timeless look. Whether bedspreads, cushions, wall coverings, curtains or upholstery, there are no limits to the imagination. Oxford is also ideal for acoustic panels thanks to its sound absorption class B. The range of 25 colors consists of historical color combinations as well as modern compositions such as pink/orange or yellow/brown.

### Technical Details

<b>Fabric width</b>	approx. 150 cm
<b>Weight je m<sup>2</sup></b>	approx. 390 g/m <sup>2</sup>
<b>Composition</b>	100% Wolle
<b>Flame retardancy</b>	IMO 2010 FTP Code Part 8, IMO 2010 FTP Code Part 7, BS 5867 Typ B, DIN EN 1021-2, DIN EN 1021-1, DIN 4102 / B2 Flammability performance is dependant on the foam used.
<b>Light fastness</b>	note 5-6
<b>Wash fastness 40°C DIN EN ISO 105-C06</b>	note 4-5

<b>Dimensional change Washing 30°C</b>	warp approx. +/-3%, weft approx. +/-2%
<b>Rubbing fastness</b> <b>DIN EN ISO 105-X12</b>	dry: note 4-5, wet: note 5
<b>Abrasion to Martindale</b> <b>DIN EN ISO 12947-2</b> <b>DIN EN 14465-2006</b>	approx. 30000 rubs
<b>Pilling</b> <b>DIN EN ISO 12945-2</b>	Note 2-3 at 2000 rpm
<b>Measured sound absorption coefficient</b> <b>DIN EN ISO 354/DIN EN ISO 11654</b>	0.85
<b>Sound absorption</b>	Class B
<b>Care labelling</b>	
<b>State</b>	2024-04-20