



## Farina DIMOUT

Item number 35539, KMAT 61000128



1520



2520



3520



4520



5520



6520



8520

## Product description







Dimout curtains are blackout fabrics that are able to reduce the usual 40% light transmission to just 1%. The degree of darkening is 99%, depending on the color. Dimout fabrics are a double satin with a black weft. These two components ensure a very dense, softly flowing fabric that hardly lets any light through and has excellent acoustic properties. The printed Dimout Farina has a clear, understandable color combination in the form of winding brushstrokes that run vertically across the fabric. The textured printed base fabric adds vibrancy.

Farina is part of a commercial print series that is used in the health & care sector as well as in hotels.

## Technical Details



<b>Fabric width</b>	approx. 148 cm
<b>Weight je m²</b>	approx. 283 g/m²
<b>Rapport Width</b>	66
<b>Composition</b>	length approx. 64 cm, width approx. 66 cm 100% Polyester FR
<b>Flame retardancy</b>	IMO 2010 FTP Code Part 7, M 1, BS 5867 Typ B, EN 13773, DIN 4102 / B1, DIN 4102 / B2, NFPA 701, MVSS 302 Flammability performance is dependant on the foam used.
<b>Light fastness</b>	note 3-4

<b>Wash fastness 40°C</b> <b>DIN EN ISO 105-C06</b>	note 4-5
<b>Wash fastness 60°C</b> <b>DIN EN ISO 6330 DIN EN ISO 5077</b>	note 4-5
<b>Dimensional change Washing 40°C</b> <b>DIN EN ISO 6330 DIN EN ISO 5077</b>	warp approx. +/-1%, weft approx. +/-1%
<b>Dimensional change Washing 60°C</b> <b>DIN EN ISO 6330 DIN EN ISO 5077</b>	warp approx. +/-2%, weft approx. +/-1%
<b>Rubbing fastness</b> <b>DIN EN ISO 105-X12</b>	dry: note 4-5, wet: note 4-5
<b>Care labelling</b>	     
<b>State</b>	2024-04-29